


LUA8C is a high-directivity column loudspeaker for installed pro audio reinforcement in a wide range of environments as well as mobile sound applications.

This column loudspeaker feature 8x3" high-performance speakers housed in a birch plywood cabinet with same quality and finish as all IDEA loudspeakers in the pro line series providing excellent quality audio reproduction with impressive SPL levels for a cabinet with this size.

LUA8C is an ideal choice for installed sound reinforcement in theatres, conference rooms, houses of worship and venues that require for a multipurpose PA system with superior speech intelligibility while capable of delivering high-quality audio playback at professional SPL levels.

LUA8C features two Neutrik SpeakON connectors and an impedance selector in the rear panel to quickly switch from 4Ω to 16Ω to maximize the performance of the system depending on the application.





OPTIONAL INSTALLATION ACCESSORIES

LUA8C feature optional wall-mount dedicated accessort for ease of installation in distributed audio environments in order to easily integrate with the venue, as well as a pole-mount accessory for easy setup in mobile sound applications.

The U-Bracket UB-LC (shown in the image above) uses the cabinet's four M8 insert to attach the bracket and M6 bolts to to lock the desired angulation points with 7 horizontal positions and 4 vertical tilt angles

Screw the back plate to the wall, fit the angulation parts to the cabinet and slide down the **LUA8C** with the accesory into the back plate brackets to assemble both parts. This easy, convenient installation process saves time at the setup operation while allowing for precise vertical and horizontal positioning of the loudspeaker.

The PM-LC accessory couples to the bottom side of the cabinet with 4 M6 insterts and features a 36-mm pole mount cup to use with any standard 35-mm distance rod.




TECHNICAL DATA

| | |
|---------------------------------|--|
| Enclosure Design | Sealed |
| Transducers | 8 x 3" |
| RMS Power Handling * | 240 W |
| Nominal Impedance | 4 / 16 Ohm selectable |
| SPL (Continuous/Peak) | 116/122 dB SPL |
| Frequency Range (-10 dB) | 120 - 20000 Hz |
| Frequency Range (-3 dB) | 180 - 20000 Hz |
| Coverage | 80° x 30° |
| Dimensions (W x H x D) | 105 x 650 x 115 mm (4,1 x 25,6 x 4,5 inch) |
| Weight | 7,4 kg (16,3 lbs) |
| Connectors | Euroblock terminal |
| Cabinet Construction | 12 mm Birch Plywood |
| Grille | 1.5 mm perforated weatherised steel with protective foam |
| Finish | Durable IDEA proprietary Aquaforce high-resistance paint coating process |
| Installation | Dedicated included wall-mount (H/V) accessory (UB-L3i) |
| Accessories | Pole Mount Accessory (PM-LUA) Locking Plate for stacking 2 units together |





* IEC filtered pink noise with a 6dB crest factor, 2 hours.

** Frequency range values for recommended factory presets.

TECHNICAL DRAWINGS



WARNINGS AND SAFETY GUIDELINES

- Read this document thoroughly, follow all safety warnings and keep it for future reference.
-  · The exclamation mark inside a triangle indicates that whatever repairing and component replacement operations must be done by qualified and authorized personnel.
- No user serviceable parts inside.
- Only use accessories tested and approved by IDEA and supplied by the manufacturer or an authorized dealer.
- Installations, rigging and suspension operations must be done by qualified personnel.
- Only use accessories specified by IDEA, complying with maximum loads specifications and following local safety regulations.
-  · Read the specifications and connection instructions before proceeding to connect the system and use only cabling supplied or recommended by IDEA. Connection of the system should be done by qualified personnel.
- Professional sound reinforcement systems can deliver high SPL levels that may result in hearing damage. Do not stand close to the system while in use.
-  · Loudspeakers produce magnetic field even while they are not in use or even when disconnected. Do not place or expose loudspeakers to any device that is sensitive to magnetic fields such as television monitors or data storage magnetic material.
- Disconnect the equipment during lightning storms and when it is not to be used for a long time.
- Do not expose this device to rain or moisture.
- Do not place any objects containing liquids, such as bottles or glasses, on the top of the unit. Do not splash liquids on the unit.
- Clean with a wet cloth. Do not use solvent-based cleaners.
- Regularly check the loudspeaker housings and accessories for visible signs of wear and tear, and replace them when necessary.
- Refer all servicing to qualified service personnel.
-  · This symbol on the product indicates that this product should not be treated as household waste. Follow local regulation for recycling of electronic devices.
- IDEA declines any responsibility from misuse that may result in malfunction or damage of the equipment.

WARRANTY

- All IDEA products are guaranteed against any manufacturing defect for a period of 5 years from date of purchase for acoustical parts and 2 years from date of purchase for electronic devices.
- The guarantee excludes damage from incorrect use of the product.
- Any guarantee repair, replacement and servicing must be exclusively done by the factory or any of authorized service centres.
- Do not open or intend to repair the product; otherwise servicing and replacement will not be applicable for guarantee repair.
- Return the damaged unit, at shipper's risk and freight prepaid, to the nearest service centre with a copy of the purchase invoice in order to claim guarantee service or replacement.

DECLARATION OF CONFORMITY

I MAS D Electroacústica SL

Constitución 5 – 9, 46009 VALENCIA (Spain)

Declares that: **LUA8C**

Complies with the following EU Directives:

- RoHS (2002/95/CE) Restriction of Hazardous Substances
- LVD (2006/95/CE) Low Voltage Directive
- EMC (2004/108/CE) Electro-Magnetic Compatibility
- WEEE (2002/96/CE) Waste of Electric and Electronic Equipment
- EN 60065: 2002 Audio, video and similar electronic apparatus. Safety requirements.
- EN 55103-1: 1996 Electromagnetic compatibility; Emission
- EN 55103-2: 1996 Electromagnetic compatibility; Immunity



www.ideaproaudio.com



For further information scan the QR Code
or refer to the following web address: www.ideaproaudio.com/lu8c

IDEA is always in pursuit of better performance, greater reliability and design features.
Technical specifications and minor finish details may vary without notice in order to improve our products.

©2017 - I MAS D Electroacústica SL
Av. Constitución 5-9 46009 VALENCIA